

Downtown Knoxville Design Overlay District Certificate of Appropriateness



Name of Applicant: Hilton Displays Inc.

Owner Contractor Architect Engineer Other

Date Filed: 7/31/09 Application accepted by: Michael Reynolds

Fee Amount: 30.00 Review Date: 8/19/09 File Number: 07-D-09-DT

PRE-APPLICATION CONFERENCE Date Completed: _____

PROPERTY INFORMATION

Building or Project Name: BB&T Tower

Street Address: 900 S. Gay St.

Tax Identification Number(s): 09510000

PROJECT ARCHITECT/ENGINEER

PLEASE PRINT

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Telephone: _____

Fax: _____

E-mail: _____

PROPERTY OWNER

PLEASE PRINT

Name: Behringer Harvard Riverview LLC

Company: Eastley McCallister & Associates Inc.

Address: 4 E Executive Park

City: Atlanta State: GA Zip: 30329

Telephone: _____

Fax: _____

E-mail: _____

PROJECT CONTRACTOR

PLEASE PRINT

Name: David Conners

Company: Hilton Displays

Address: 125 Hillside Dr.

City: Greenville State: SC Zip: 29607

Telephone: 800-353-9132

Fax: 800-242-2204

E-mail: David.conners@hiltondisplays.com

ACCOMPANYING MATERIALS

Please see the reverse side of this form for a list of information required as part of this application.

FOR OFFICE USE ONLY

PROJECT INFORMATION

LEVEL 1: \$30

Minor Alteration of an Existing Building/Structure Sign

LEVEL 2: \$70

Major Alteration of an Existing Building/Structure

Addition to an Existing Building/Structure

LEVEL 3: \$100

Construction of New Building/Structure

PROJECT CONTACT

All application-related correspondence should be directed to:

PLEASE PRINT

Name: David Conners

Company: Hilton Displays Inc.

Address: 125 Hillside Dr.

City: Greenville State: SC Zip: 29607

Telephone: 800-353-9132


Fax: 800-242-2204

E-mail: David.conners@hiltondisplays.com

NOTE: Payment is due at time of application. Please make check payable to Knoxville Knox County Metropolitan Planning Commission.

ILLUMINATED WITH WHITE LED'S (120V POWER SUPPLY)

QTY. 4



**Lighted Letters w/
Background**

This configuration used in low contrast scenarios (mainly light colored building fascias)

(1) Set individually lighted letters (for specifications on lighted letters) mounted flush onto fabricated background.
Sign to have (1) disconnect switch (located on side of background). Letters pre-wired inside 3" deep background via water-tight electrical components Sign to have (1) primary exit


Non-lighted background fabricated of aluminum (125 face .080 return, 3" depth reinforced with 1" x 1" alum. sq. tube horiz & vert @ pickup points) & finished in acrylic urethane enamel to match BB&T's burgundy (other color combinations may occur)

Background mounted onto fascia via: 2" x 2" aluminum angle clips (bolted to flush to wall) The background then cups over & fastens to 2" x 2" angle clips via pan-head screws (see detail)

LIGHTED LETTER SPECIFICATIONS:

FABRICATION: LIGHTED LETTERS FABRICATED OF WELDED ALUMINUM (.063 RETURNS, .090 BACKS, 7" DEPTH)
COLORS: CHANNEL INTERIOR PAINTED REFLECTIVE WHITE. EXTERIOR FINISHED BB&T GRAY
FACES OF 3/16" 7328 WHITE ACRYLIC. FACE TRIM FINISHED TO MATCH RETURNS.
ILLUMINATION & INSTALLATION: ILLUMINATION (OPTIONS AS INDICATED)
LETTERS MOUNT FLUSH TO B/G PANEL

Background Installation



- ① 3" Deep aluminum background
- ② 2" x 2" x .250 x 4" wide aluminum clip (each clip to have ONE wall fastener).
Clip spacing: 30" (max) c/c around perimeter
- ③ #10 Stainless steel pan-head screw (two per clip @ 2" c/c)
- ④ Wall fastener: (3) scenarios:
 - 1) **SOLID MASONRY WALL** - 3/8" Diam. S.S. threaded rod w/ 2' (min) embedment concrete with Hilti (hy150) injection adhesive
 - 2) **HOLLOW MASONRY WALL** - 3/8" x 3' S S Hilti Sleeve-Anchor (#00336247)
 - 3) **DRYVIT, WOOD, METAL** - 3/8" x 12" (min) SS rod for thru-bolting w/ backing washer & nut

THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SIGNAGE DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES. THE FINISHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING.



POWER REQUIREMENTS	
AMPS	X
WATTS	X
VOLTS	X

JOB INFO

JOB NAME: BB&T	DATE: 5-26-09	DESIGN SPECIFICATIONS ACCEPTED BY:	
LOCATION: 900 SOUTH GAY ST KNOXVILLE TN	REV. DATE: 7-13-09LW	EST:	CLIENT:
CUSTOMER CONTACT:	REV. DATE:		
SALESMAN: GARY TUFANO/D. CONNERS	SCALE: 1/8" = 1'	SLS/PM:	LANDLORD:
DESIGNER: BRIAN SOWDER FILE: 2009/BB&T/KNOXVILLE TN/09-09902/LL120-BG			



THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SIGNAGE DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES. THE FINISHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING.

JOB INFO

JOB NAME: BB&T	DATE: 5-26-09	DESIGN SPECIFICATIONS ACCEPTED BY:	
LOCATION: 900 SOUTH GAY ST KNOXVILLE TN	REV. DATE:	EST:	CLIENT:
CUSTOMER CONTACT:	REV. DATE:		
SALESMAN: GARY TUFANO/D. CONNERS	SCALE: NTS	SLS/PM:	LANDLORD:
DESIGNER: BRIAN SOWDER	FILE: 2009/BB&T/KNOXVILLE TN/09-09902/LL108-BG		



THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SIGNAGE DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE FINISHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING

JOB INFO

JOB NAME: BB&T	DATE: 5-26-09	DESIGN SPECIFICATIONS ACCEPTED BY:	
LOCATION: 900 SOUTH GAY ST KNOXVILLE TN	REV. DATE:	EST:	CLIENT:
CUSTOMER CONTACT:	REV. DATE:	SLS/PM:	LANDLORD:
SALESMAN: GARY TUFANO/D. CONNERS	SCALE: NTS		
DESIGNER: BRIAN SOWDER	FILE: 2009/BB&T/KNOXVILLE TN/09-09902/LL108-BG		